Terminations

SMA Miniature Male Plug

2 Watt High Performance

- DC 2, DC 8, DC 12.4, DC 18, and DC 26.5GHz units available
- Low VSWR
- Rugged Stainless Steel Construction
- Small Size, Light Weight
- Bead Chain available on all Models

Midwest Microwave's SMA miniature series of high performance coaxial Terminations provide temperature stable, ruggedly built, low VSWR precision performance in a compact light weight package size. Bead Chains are available with any of the units described.

SPECIFICATIONS

Impedance: 50 Ohms

Frequency: DC - 26.5, DC - 18.0, DC - 12.4., DC - 8.0 and DC - 2.0 GHz VSWR: 1.05 + 0.008 f (GHz) max @ DC - 18.0 GHz, 1.30 max @ 18 - 26.5 GHz Power: 2 Watts max @ 25 °C derated to 1 Watt @ +125°C Operating Temperature Range: -65 to +125 °C Finish: Passivated Stainless Steel





DC - 26.5 GHz	2054	Series	Model Numbers
Male Plug		Male	e Plug with Chain
TRM-2054-M0-SMA-02		TRM-	2054-MC-SMA-02

DC - 18 GHz	2055	5 Series	Model Numbers
Male Plug		Male	e Plug with Chain
TRM-2055-M0-SMA-02		TRM-	2055-MC-SMA-02

DC - 12.4 GHz	2056	Series	Model Numbers
Male Plug		Male	e Plug with Chain
TRM-2056-M0-SMA-02		TRM-	2056-MC-SMA-02

DC - 8.0 GHz	2058	Series	Model Numbers
Male Plug		Male	e Plug with Chain
TRM-2058-M0-SMA-02		TRM-2	2058-MC-SMA-02

DC - 2.0 GHz	2059 Series		Model Numbers
Male Plug		Male	e Plug with Chain
TRM-2059-M0-SMA-02		TRM-2	2059-MC-SMA-02





